

# AN-F120-22

1 x 3.5" to 2 x 2.5" SATA Hotswap Drive Cage



## ① Features

- ❶ Aluminum Housing
- ❷ Compatible with SATA III(Transfer rate 6Gbps max.)
- ❸ Fit one 3.5" Drive Bay for 2 x 2.5" Hard Disk Drives (thickness: up to 9.5mm)
- ❹ With one SATA Power and two DATA Connectors
- ❺ LED Indicators for Power & HDD access
- ❻ Security Key Lock
- ❼ RoHS Compliance

Trayless Hotswap Backplane

## ② Product Overview



Front view



Rear view



Side view



Security key lock



LED : Power / HDD access



Top view

# AN-F120-22

1 x 3.5" to 2 x 2.5" SATA Hotswap Drive Cage

## ③ Product Introduction

AN-F120-22 internal drive cage is a compact and cost effective solution for an internal 3.5" drive cage with two 2.5" hard drives. It provides an extra storage within a compact design to satisfy many application needs. AN-F120-22 is constructed of Aluminum material that provides excellent heat dissipation required for high performance 2.5" laptop SATA drives. It is easy and quick to install it into any tower or rackmount chassis.

## ④ Specifications

Model Number	AN-F120-22
RoHS Compliance Version	Yes
Standard Drive Bays	3.5" Drives: 1
Hotswap HDD Type:	2.5" Drivers: 2
HDD Support Type:	I/II/III SATA
Indicators	Power and HDD access
Security	Key Lock
Material of Main Chassis	Aluminum
Color of Main Chassis	Black
Dimensions (WxHxD)	4.00" x 1.00" x 5.74" 101.5 mm x 25.4 mm x 145.7 mm

# AN-F120-22

1 x 3.5" to 2 x 2.5" SATA Hotswap Drive Cage

## ⑤ 2D Drawing

---

Trayless Hotswap Backplane